



DEPARTMENT OF RESOURCE MANAGEMENT

Building Division

1855 Placer Street, Suite 102

Redding, California 96001

Phone: (530) 225-5761 Fax: (530) 245-6468

Inspection Request Line: (530) 244-5068

Web: shastacounty.gov/resource-management Email: resourcemanagement@co.shasta.ca.us

BUILDING DESIGN CRITERIA REQUEST

(Rev: 01-03-23)

(2022 CBC & CRC – Permit applications submitted January 1, 2023 – December 31, 2025)

Please complete Part 1 and return by fax (530) 245-6468, email resourcemanagement@co.shasta.ca.us, or bring into the office at the address listed above.

PART 1: APPLICANT TO COMPLETE ALL FIELDS

Requested by: _____ Date: _____

Email: _____ Phone: _____

Project Description: _____

Assessor's Parcel Number: _____ Occupancy/Use: _____

Project Site Address: _____

Comments/Considerations: _____

PART 2: TO BE COMPLETED BY SHASTA COUNTY STAFF

1) Wildland Urban Interface: SRA _____ LRA _____ High _____ Very High _____ N/A _____

2) Roof Snow Load: _____ (Non reducible)

Ground Snow Load: _____ (If reduction will be applied)

3) Wind: **Residential:** 95 mph - Exposure C (B with site-specific analysis) **Commercial:** 110 mph (CBC section 1609)

4) Seismic Design Category (SDC): Site Specific with Latitude and Longitude, the S_ds can be determined based on Site Class D by downloading the application at: <http://earthquake.usgs.gov/hazards/designmaps/usdesign.php>

Generally: CBC SDC "D" and CRC – SDC D₁. (For the area: Big Bend north going East to Dana and north of the intersection of HWY 89 and HWY 299 use CRC SDC D₂.)

5) Soil Design Category: Class 5 - 1500 PSF (default unless soils report provided)

6) MS4 area: Yes _____ No _____ Floodplain Designation: _____

7) Zoning: _____ General Plan: _____

8) Fire District: _____

9) General Parcel Setbacks: Front _____ Back _____ Side _____ Side _____ Acreage _____

Setbacks are from property line or road easement within property lines. Other setback requirements may also apply.

Completed by: _____ Date: _____