



DEPARTMENT OF RESOURCE MANAGEMENT

Building Division

1855 Placer Street, Suite 102

Redding, California 96001

Phone: (530) 225-5761 Fax: (530) 245-6468

Inspection Request Line: (530) 244-5068

Web: building.co.shasta.ca.us Email: resourcemanagement@co.shasta.ca.us

WET WEATHER PLAN – BEST MANAGEMENT PRACTICES

(Rev: 10-22-20)

PERMIT# _____

1. Construction activities shall be scheduled and sequenced with due consideration to local weather conditions. The contractor shall review National Oceanographic and Atmospheric Administration (NOAA) forecasts prior to scheduling and implementing construction activities. These forecasts may be obtained at: <http://www.srh.noaa.gov.focast>.
2. Appropriate erosion and sediment control Best Management practices shall be in place prior to commencement of ground disturbing construction activities. They shall also be in place prior to onset of any rain event with a 50% or greater chance of occurrence as predicted by National Weather Service.
3. Existing vegetation shall be preserved to the extent feasible.
4. Rice straw mulch shall promptly be applied to all inactive disturbed areas and shall be re-applied as needed to maintain effectiveness, Equivalent types of straw and native ground cover may also be acceptable subject to agency approval.
5. The contractor shall inspect the site daily for signs of tracking. The contractor shall remove any sediment or other construction related materials that are deposited on nearby access roads. Vacuuming or sweeping shall be conducted on a daily basis when necessary and prior to any rain event. A stabilized construction entrance/exit shall be constructed at the project site as needed to prevent track out.
6. All stockpiles shall be located a minimum of 50 feet away from concentrated flows of storm water, drainage courses and storm drainage inlets. All stockpiles shall receive perimeter controls and shall be covered when they are not actively being used or prior to the arrival of any rain event with a 50% or greater chance of occurrence as predicted by national weather service.
7. An above-ground or mobile concrete washout shall be on-site if concrete trucks or equipment are to be washed out on-site. The wash out unit shall be a minimum of 50 feet away from concentrated flows of storm water, drainage courses, and storm drainage inlets.
8. The location of the BEST MANAGEMENT PRACTICES (BMPs) shall be field adjusted as appropriate to ensure that an effective combination of erosion and sediment control measures are implemented and maintained to prevent sediment laden storm water discharges.

The minimum standard stated above are applicable to all sites. Large, steep, erodible, sensitive riparian, and other special sites may require additional measures.

Applicant Signature

Date

