TABLE OF SELECTED COMMUNICABLE DISEASES*

Condition	Shasta County Cases [%]					
	2013	2014	2015	2016	2017	2018
AIDS diagnosis	10	4	2	2	2	1
Campylobacteriosis	21	30	19	16	27	23
Chlamydial infections	590	674	644	649	567	637
Coccidioidomycosis	0	1	0	2	0	0
Cryptosporidiosis	1	2	1	0	2	1
E. coli O157:H7/STEC*	4	5	5	8	4	0
Encephalitis Viral ⁶	1	0	0	0	0	0
Encephalitis Other	0	0	0	0	0	2
Giardiasis	5	3	8	6	7	14
Gonococcal infections	251	377	367	275	201	306
H. influenzae invasive disease#	0	0	0	0	0	0
Hepatitis A	3	2	0	1	1	0
Hepatitis B, acute	1	1	0	0	1	1
Hepatitis B, chronic	12	15	35	20	19	6
Hepatitis C, acute	0	0	1	0	0	0
Hepatitis C, chronic	290	333	337	207	131	160
HIV	10	8	3	7	2	6
Legionellosis	0	0	0	1	2	3
Listeriosis	0	0	1	1	0	0
Lyme disease	0	0	0	0	0	0
Malaria	2	0	0	0	0	0
Measles	0	1	0	0	0	0
Meningitis, viral	0	1	0	2	0	0
Meningitis, bacterial<	2	3	1	2	0	2
Meningococcal infections	1	0	0	2	1	0
Mumps	0	0	0	0	0	0
Pertussis	7	22	3	18	1	0
Rabies, animal	0	0	0	0	0	0
Salmonellosis (non-typhoid)	25	30	26	26	35	29
Shigellosis	1	0	2	2	0	2
Syphilis (All Stages [£])	8	14	22	38	60	100
Syphilis (P&S ^{&} , Early Latent)	6	7	12	24	45	75
Congenital Syphilis	0	0	0	1	0	3
Tuberculosis	4	1	4	1	1	0
West Nile Virus – Asymptomatic [^]	0	1	0	0	0	0
West Nile Fever	1	0	1	0	0	0
West Nile Neuroinvasive Disease	0	2	1	1	1	1

[¥] Disease reporting uses the calendar year.

[%] Because the incidence of many communicable diseases is low, case numbers may vary from year to year without the difference being statistically meaningful. Episode date is used for case counting which is the earliest of the following: Date Received, Date of Diagnosis, Date of Onset, Specimen Collection Date, or Date Created.

^{*} STEC – Shiga Toxin-producing E. coli other than E. coli O157.

φ Includes viral not caused by arboviruses, fungal, parasitic, and bacterial infections.

[#] Haemophilus influenzae invasive disease must occur in a patient under 5 to count as a case.

Bacterial other than H. influenzae (<5 years old) and N. meningitides.</p>

[&]amp; Includes: Primary and secondary stages of Syphilis

f Includes: primary, secondary, early non-primary non-secondary, and unknown duration or late stages of Syphilis.

[^] Includes: presumptively viremic blood donors and other asymptomatic positive tests.