PAYMENT REFORM SERVICE CODES IN AVATAR FOR <u>REGISTERED NURSES</u>

Description	Code Narrative Description	New Code	Equivalent Code in Cerner	Add-on or Primary	Extended with Add On?	Duration at which add-on is required
Developmental Screening, first 15 mins	Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument.	96110	None	Primary	Y (G2212)	16
Beh/Emotional Asmt, first 15 mins	Brief emotional/behavioral assessment (eg, depression inventory, attention-deficit/hyperactivity disorder scale), with scoring and documentation, per standardized instrument.	96127	None	Primary	Y (G2212)	16
MH Assessment by Non- Physician 15 min increments	A service activity designed to evaluate the current status of a beneficiary's mental, emotional, or behavioral health. Assessment includes one or more of the following: mental status determination, analysis of the beneficiary's clinical history, analysis of relevant biopsychosocial and cultural issues and history, diagnoses and the use of testing procedures.	H0031	10	Primary		
Comp Multi- Disciplinary Eval - All disciplines 15 min increments	Comprehensive multi-disciplinary evaluation. This is a team assessment service as reflected in the multi-disciplinary aspect of the service.	H2000	None	Primary		

ICC Comp Multi- Disciplinary Eval - All disciplines 15 min increments	Comprehensive multi-disciplinary evaluation. This is a team assessment service as reflected in the multi-disciplinary aspect of the service. Provided to youth clients who meet criteria for ICC.	H2000HK	None	Primary		
Nursing Asmt/Eval, 15 min increments		T1001	?	Primary		
Crisis-MH including mobile 15 min increments	An unplanned, expedited service, to or on behalf of a beneficiary to address a condition that requires more timely response than a regularly scheduled visit. Crisis intervention is an emergency response service enabling a beneficiary to cope with a crisis, while assisting the beneficiary in regaining their status a as functioning community member. The goal of crisis intervention is to stabilize an immediate crisis within a community or clinical treatment setting. Crisis intervention may be provided face-to-face, by telephone or by telemedicine with the beneficiary and/or significant support persons and may be provided in a clinic setting or anywhere in the community.	H2011	70	Primary		
Injection subcutaneous or intramuscular, First 15 mins	Therapeutic, prophylactic, or diagnostic injection; subcutaneous or intramuscular	96372	202	Primary	Y (G2212)	16
Injection intra- arterial, First 15 mins	Therapeutic, prophylactic, or diagnostic injection; intra- arterial	96373	202	Primary	Y (G2212)	16

	Medication Support Services include one or more of the following: prescribing, administering, dispensing and monitoring drug interactions and contraindications of psychiatric medications or biologicals that are necessary to alleviate the suffering and symptoms of mental illness. This service may also include assessing the appropriateness of reducing medication usage when clinically indicated. Services may include: providing detailed information about how medications work; different types of				
Med Training and Support, 15 min increments	medications available and why they are used; anticipated outcomes of taking a medication; the importance of continuing to take a medication even if the symptoms improve or disappear (as determined to be clinically appropriate); how the use of the medication may improve the effectiveness of other services a beneficiary is receiving (e.g., group or individual therapy); possible side effects of medications and how to manage them; information about medication interactions or possible complications related to using medications with alcohol or other medications or substances; and the impact of choosing not to take medications.	H0034	24	Primary	
	The service includes one or more of the following service components: • Evaluation of the need for medication • Evaluation of clinical effectiveness and side effects • The obtaining of informed consent • Medication education including instruction in the use, risks, and benefits of and alternatives for medication • Collateral • Plan Development				
	Registered nurses are allowed to provide any of the services listed above within their scope of practice.				

Medication Admin, Direct Observation, 15 min increments	Oral medication administration, direct observation	H0033	26 Medi- Set	Primary	
MH Plan Development - non physician 15 min increments	A service activity that consists of one or more of the following: development of client plans, approval of client plans and/or monitoring of a beneficiary's progress.	H0032	13	Primary	
ICC MH Plan Development - non physician 15 min increments	A service activity that consists of one or more of the following: development of client plans, approval of client plans and/or monitoring of a beneficiary's progress. Provided to youth clients who meets criteria for ICC.	H0032HK	13	Primary	
Targeted Case Management 15 min increments	Targeted case management is a service that assists a beneficiary to access needed medical, educational, social, prevocational, vocational, rehabilitative or other community services. The service activities may include but are not limited to: communication, coordination, and referral; monitoring service delivery to ensure patient access to service and the service delivery system; monitoring the patient's progress; placement services and plan management.	T1017	50	Primary	
Intensive Care Coordination15 min increments	ICC is a targeted case management service that facilitates assessment of, care planning for, and coordination of services to beneficiaries under 21 who are eligible for full-scope Medi-Cal services and who meet medical necessity criteria for this services. ICCC service components include: assessing, service planning and implementation, monitoring and adapting, and transition. ICC services are provided through the principles of the Integrated Core Practice Model (ICPM), including the establishment of the Child and	T1017HK	53	Primary	

	Family Team (CFT) to ensure facilitation of a collaborative relationship among a child, their family, and involved child-serving systems.				
IHBS Rehab 15 min increments	A recovery or resiliency-focused service activity identified to address a mental health need in the client plan. This service activity provides assistance in restoring, improving, and/or preserving a beneficiary's functional, social, communication, or daily living skills to enhance self-sufficiency or self-regulation in multiple life domains relevant to the developmental age and needs of the beneficiary. Rehabilitation also include support resources, and/or medication education. Provided to youth clients who meet criteria for IHBS. Contact may be with client and/or significant support person.	H2017HK	37	Primary	
Individual Rehab Interventions 15 min increments	A recovery or resiliency-focused service activity identified to address a mental health need in the client plan. This service activity provides assistance in restoring, improving, and/or preserving a beneficiary's functional, social, communication, or daily living skills to enhance self-sufficiency or self-regulation in multiple life domains relevant to the developmental age and needs of the beneficiary. Rehabilitation also include support resources, and/or medication education. Contact may be with client and/or significant support person.	H2017	34	Primary	

Group Rehab Interventions 15 min increments	A recovery or resiliency-focused service activity identified to address a mental health need in the client plan. This service activity provides assistance in restoring, improving, and/or preserving a beneficiary's functional, social, communication, or daily living skills to enhance self-sufficiency or self-regulation in multiple life domains relevant to the developmental age and needs of the beneficiary. Rehabilitation also include support resources, and/or medication education.	H2017HQ	35	Primary	
Sign Language or Interpretative Service		T1013	N/A	Add-on	
Interactive Complexity	Interactive complexity refers to specific communication factors that complicate the delivery of a psychiatric procedure. Common factors include more difficult communication with discordant or emotional family members and engagement of young and verbally undeveloped or impaired patients. Interactive complexity may be reported when one of the following is present: 1. The need to manage a maladaptive communication (eg, high anxiety, high reactivity, repeated questions, or disagreement) among participants that complicates delivery of care. 2. Caregiver emotions or behavior that interferes with the caregiver's understanding and ability to assist in the implementation of the treatment plan. 3. Evidence or disclosure of a sentinel event and mandated report to third party (eg, abuse or neglect with report to state agency) with initiation of discussion of the sentinel event and/or report with patient and other visit participants. 4. Use of play equipment or other physical devices to communicate with the patient to overcome barriers to therapeutic or diagnostic interaction between the physician or other qualified health care professional	90785	N/A	Add-on	

	and a patient who has not developed, or has lost, either the expressive language communication skills to explain his/her symptoms and response to treatment, or the receptive communications skills to understand the physician or other qualified health care professional if her/she were to use typical language for communication. When reported with an E&M service, the time must relate to the time spent providing therapy only. Interactive complexity is not a service associated with E&M services when provided without psychotherapy.				
Service add- on/extender for groups, 15 min increments		G2212HQ	N/A	Add-on	
Service add- on/extender, 15 min increments		G2212	N/A	Add-on	